PAIN

Pain 72 (1997) 421–423

Contents to Volume 72 (1997)

Numbers 1,2 – August 1997

EDITORIAL

Pharmacological tests in pain analysis and in prediction of treatment outcome
B.A. Meyerson (Sweden) 1

RESEARCH PAPERS

Pharmacological classification of central post-stroke pain: comparison with the results of chronic motor cortex stimulation therapy
T. Yamamoto, Y. Katayama, T. Hirayama, T. Tsubokawa (Japan) 5
A longitudinal study of somesthetic perceptual disorders in an individual with a unilateral thalamic lesion
J.D. Greenspan, S.E. Joy, S.L.B. McGillis, C.M. Checkosky, S.J. Bolanowski (USA) 13
Do patients with chronic pain selectively attend to pain-related information?: preliminary evidence for the mediating role of fear
G.J.G. Asmundson, J.L. Kuperos, G. Ron Norton (Canada) 27
Children's Pain Perspectives Inventory (CPPI): developmental assessment
C.S. Crow (USA) 33
Tetrodotoxin inhibits neuropathic ectopic activity in neuromas, dorsal root ganglia and dorsal horn neurons
I. Omana-Zapata, M.A. Khabbaz, J.C. Hunter, D.E. Clarke, K.R. Bley (USA) 41
An in vitro study of ectopic discharge generation and adrenergic sensitivity in the intact, nerve-injured rat dorsal root ganglion
J.-M. Zhang, X.-J. Song, R.H. LaMotte (USA) 51
Lumbar transplants of immortalized serotonergic neurons alleviate chronic neuropathic pain
M.J. Eaton, D.I. Santiago, H.A. Dancausse, S.R. Whittemore (USA) 59
Wallerian degeneration is required for both neuropathic pain and sympathetic sprouting into the DRG
M.S. Ramer, G.D. French, M.A. Bisby (Canada) 71
Dose ratio between morphine and hydromorphone in patients with cancer pain: a retrospective study
P. Lawlor, K. Turner, J. Hanson, E. Bruera (Canada) 79
The relationship of phantom limb pain to other phantom limb phenomena in upper extremity amputees
P. Montoya, W. Larbig, N. Grulke, H. Flor, E. Taub, N. Birbaumer (Germany, USA, Italy) 87
The visual analogue pain intensity scale: what is moderate pain in millimetres?
S.L. Collins, R.A. Moore, H.J. McQuay (UK) 95
Ketamine, an NMDA receptor antagonist, suppresses spatial and temporal properties of burn-induced secondary hyperalgesia in man: a double-blind, cross-over comparison with morphine and placebo
T. Warncke, A. Stubhaug, E. Jørum (Norway) 99
Classical conditioning and the placebo effect
G.H. Montgomery, I. Kirsch (USA) 107
Personality traits, pain duration and severity, functional impairment, and psychological distress in patients with persistent low back pain
M. BenDebba, W.S. Torgerson, D.M. Long (USA) 115
Inhibitory effects of electrically evoked activation of ventrolateral orbital cortex on the tail-flick reflex are mediated by periaqueductal gray in rats
Y.-Q. Zhang, J.-S. Tang, B. Yuan, H. Jia (PR China) 127
Pain and synovial fluid concentration of serotonin in arthritic temporomandibular joints
P. Alstergren, S. Kopp (Sweden) 137
Right-hemisphere preponderance of responses to painful CO_2 stimulation of the human nasal mucosa
R. Hari, K. Portin, B. Kettenmann, V. Jousmäki, G. Kobal (Finland, Germany) 145
Opioid-mediated changes in nociceptive threshold during pregnancy and parturition in the sow
S. Jarvis, K.A. McLean, J. Chirnside, L.A. Deans, S.K. Calvert, V. Molony, A.B. Lawrence (UK) 153
The expression of pain in infants and toddlers: developmental changes in facial action
C.M. Lilley, K.D. Craig, R. Eckstein Grunau (Canada) 161
The cortisol response to psychological stress in temporomandibular dysfunction
D.A. Jones, G.B. Rollman, R.I. Brooke (Canada) 171
Adrenosensitivity of injured afferent neurons does not require the presence of postganglionic sympathetic terminals
G. Rubin, T. Kaspi, Z.H. Rappaport, S. Cohen, M. Ravikovitch, P. Lomazov, M. Devor (Israel) 183

Effectiveness of oral sucrose and simulated rocking on pain response in preterm neonates
C. Céleste Johnston, R.L. Stremler, B.J. Stevens, L.J. Horton (Canada) 193
Episodic pain associated with a tumor in the parietal operculum: a case report and literature review
C. Potagas, D. Avdelidis, E. Singounas, O. Missir, A. Aessopos (Greece, France) 201
Attention and somatic awareness in chronic pain
C. Eccleston, G. Crombez, S. Aldrich, C. Stannard (UK, Belgium) 209
Differences in patients' and family caregivers' perceptions of the pain experience influence patient and caregiver outcomes
C. Miaskowski, E.F. Zimmer, K.M. Barrett, S.L. Dibble, M. Wallhagen (USA) 217
Readiness to adopt a self-management approach to chronic pain: the Pain Stages of Change Questionnaire (PSOCQ)
R.D. Kerns, R. Rosenberg, R.N. Jamison, M.A. Caudill, J. Haythornthwaite (USA) 227
A comparison of pain report and adequacy of analgesic therapy in ambulatory AIDS patients with and without a history of substance abuse
W. Breitbart, B. Rosenfeld, S. Passik, M. Kaim, J. Funesti-Esch, K. Stein (USA) 235
Determinants of pain expression in hospitalized burn patients
J. Difede, A.B. Jaffe, G. Musngi, S. Perry, R. Yurt (USA) 245
Spinally administered dynorphin A produces long-lasting allodynia: involvement of NMDA but not opioid receptors
T.M. Laughlin, T.W. Vanderah, J. Lashbrook, M.L. Nichols, M. Ossipov, F. Porreca, G.L. Wilcox (USA) 253
Loss of analgesic effect of morphine due to coadministration of rifampin
M.F. Fromm, K. Eckhardt, S. Li, G. Schänzle, U. Hofmann, G. Mikus, M. Eichelbaum (Germany) 261
A model of transient hyperalgesia in the behaving monkey induced by topical application of capsaicin
R.C. Kupers, C.-C. Chen, M.C. Bushnell (Canada) 269

CLINICAL NOTE

Neuropathic pain and prolonged regional inflammation as two distinct symptomatological components in complex regional pain syndrome with patchy osteoporosis -- a pilot study
K. Moriwaki, O. Yuge, H. Tanaka, H. Sasaki, H. Izumi, K. Kaneko (Japan) 277

LETTERS TO THE EDITOR

Comments on Berkley, *PAIN* 70 (1997) 103–107
C.H. Hubscher (USA) 283
Comments on Andersen et al., *PAIN*, 67 (1996) 369
R.M. Caudle (USA) 283
Reply to Dr. Caudle
S. Andersen, A.H. Dickenson, B. Ebert (Denmark, UK) 284
Comments on Ciccone et al., *PAIN*, 68 (1996) 329–341
M.I. Weintraub (USA) 284
Reply to M.I. Weintraub
D.S. Ciccone (USA) 285
Comments on Davar et al., *PAIN*, 67 (1996) 135–139
P. Mandich, E. Bellone, M. Montera, F. Ajmar, A. Schenone, L. Nobbio, G. Mancardi, A. Pizzuti, A. Ratti, A.J. Windebank (Italy, USA) 287
Reply to Mandich et al.
G. Davar (USA) 288
Comments on Cervero and Laird, *PAIN*, 68 (1996) 13–23
W.J. Roberts, R.C. Kramis (USA) 288
Reply to S.T. Meller: Ketamine: relief from chronic pain through actions at the NMDA receptor
P.K. Eide, A. Stubhaug, H. Breivik, I. Øye (Norway) 289
Response to Stanton-Hicks et al.
L. van der Laan, P.H.J.M. Veldman and R.J.A. Goris (The Netherlands) 291
Primum non nocere – a paradoxical ally in defense of placebos in analgesic trials?
R.A.P. Burt (USA) 291

Erratum 293

Number 3 – September 1997

EDITORIAL

Post-spinal cord injury pain states
A. Berić (USA) 295

RESEARCH PAPERS

Comparable dose-dependent inhibition of AP-7 sensitive strychnine-induced allodynia and paw pinch-induced nociception by mexiletine in the rat
H. Khandwala, E. Hodge, C.W. Loomis (Canada) 299

Analgesic efficacy of peripheral opioids (all except intra-articular): a qualitative systematic review of randomised controlled trials
P.R. Picard, M.R. Tramèr, H.J. McQuay, R.A Moore (France, UK) 309
Pain-related laser-evoked potentials in awake monkeys: identification of components, behavioral correlates and drug effects
A. Beydoun, T.J. Morrow, K.L. Casey (USA) 319
Effects of tramadol on immune responses and nociceptive thresholds in mice
P. Sacerdote, M. Bianchi, B. Manfredi, A.E. Panerai (Italy) 325
Announcement 331
Comparative efficacy of patient-controlled administration of morphine, hydromorphone, or sufentanil for the treatment of oral mucositis pain following bone marrow transplantation
B.A. Coda, B. O'Sullivan, G. Donaldson, S. Bohl, C.R. Chapman, D.D. Shen (USA) 333
Algesics excite axotomised afferent nerve fibres within the first hours following nerve transection in rats
M. Michaelis, C. Vogel, K.-H. Blenk, W. Jänig (Germany) 347
The inhibition of nitric oxide-activated poly(ADP-ribose) synthetase attenuates transsynaptic alteration of spinal cord dorsal horn neurons and neuropathic pain in the rat
J. Mao, D.D. Price, J. Zhu, J. Lu, D.J. Mayer (USA) 355
Lorazepam as an adjunct to opioid analgesics in the treatment of burn pain
D.R. Patterson, J.T. Ptacek, G.J. Carrougher, S.R. Sharar (USA) 367
Gabapentin enhances the antinociceptive effects of spinal morphine in the rat tail-flick test
M. Shimoyama, N. Shimoyama, C.E. Inturrisi, K.J. Elliott (USA) 375
An investigation of the placebo effect and age-related factors in the report of needle pain from venipuncture in children
B. Goodenough, L. Kampel, G.D. Champion, L. Laubreaux, M.K. Nicholas, J.B. Ziegler, M. McInerney (Australia) 383
The influence of preamputation pain on postamputation stump and phantom pain
L. Nikolajsen, S. Ilkjær, K. Krøner, J.H. Christensen, T.S. Jensen (Denmark) 393
Possible mechanism of c-fos expression in trigeminal nucleus caudalis following cortical spreading depression
B.K. Ingvardsen, H. Laursen, U.B. Olsen, A.J. Hansen (Denmark) 407

Author Index to Volume 72 417

Contents to Volume 72 421